

***Measure #22 (NQF 0271): Perioperative Care: Discontinuation of Prophylactic Parenteral Antibiotics (Non-Cardiac Procedures)**

2013 PQRS OPTIONS FOR INDIVIDUAL MEASURES:
CLAIMS, REGISTRY

DESCRIPTION:

Percentage of non-cardiac surgical patients aged 18 years and older undergoing procedures with the indications for prophylactic parenteral antibiotics AND who received a prophylactic parenteral antibiotic, who have an order for discontinuation of prophylactic parenteral antibiotics within 24 hours of surgical end time

INSTRUCTIONS:

This measure is to be reported **each time** a procedure is performed during the reporting period for patients who undergo non-cardiac surgical procedures with the indications for prophylactic parenteral antibiotics. There is no diagnosis associated with this measure. It is anticipated that **clinicians who perform the listed surgical procedures** as specified in the denominator coding will submit this measure.

Measure Reporting via Claims:

CPT codes and patient demographics are used to identify patients who are included in the denominator. CPT Category II codes are used to report the numerator of the measure. If multiple surgical procedures were performed on the same date of service and submitted on the same claim form, it is not necessary for the same clinician to submit the CPT Category II code with each procedure. However, if multiple NPIs are reporting this measure on the same claim, each NPI should report the quality-data code (G-code).

When reporting the measure via claims, submit the listed CPT codes, and the appropriate CPT Category II code(s) **OR** the CPT Category II code(s) **with** the modifier. The modifiers allowed for this measure are: 1P- medical reasons, 8P- reason not otherwise specified. All measure-specific coding should be reported on the claim(s) representing the eligible encounter.

Measure Reporting via Registry:

CPT codes and patient demographics are used to identify patients who are included in the measure's denominator. The numerator options as described in the quality-data codes are used to report the numerator of the measure.

The quality-data codes listed do not need to be submitted for registry-based submissions; however, these codes may be submitted for those registries that utilize claims data.

DENOMINATOR:

All non-cardiac surgical patients aged 18 years and older undergoing procedures with the indications for prophylactic parenteral antibiotics AND who received a prophylactic parenteral antibiotic

Denominator Instructions:

- CPT Category I procedure codes billed by surgeons performing surgery on the same patient, submitted with modifier 62 (indicating two surgeons, i.e., dual procedures) will be included in the denominator population. Both surgeons participating in the PQRS will be fully accountable for the clinical action described in the measure.
- For the purpose of this measure of antibiotic discontinuation, patients may be counted as having "received a prophylactic parenteral antibiotic" if the antibiotic was received within 4 hours prior to the surgical incision (or start of procedure when no incision is required) or intraoperatively.

Denominator Criteria (Eligible Cases):

Patients aged ≥ 18 years on date of encounter

AND

Patient encounter during the reporting period (CPT): Listed below are non-cardiac surgical procedures for which prophylactic parenteral antibiotics are indicated

SURGICAL PROCEDURE	CPT CODE
Integumentary	15732, 15734, 15736, 15738, 15830, 15832, 15833, 15834, 15835, 15836, 15837, 19260, 19271, 19272, 19300, 19301, 19302, 19303, 19304, 19305, 19306, 19307, 19316, 19318, 19324, 19325, 19328, 19330, 19340, 19342, 19350, 19355, 19357, 19361, 19364, 19366, 19367, 19368, 19369, 19370, 19371, 19380
Le Fort Fractures	21346, 21347, 21348, 21422, 21423, 21432, 21433, 21435, 21436
Mandibular Fracture	21454, 21461, 21462, 21465, 21470
Spine	22325, 22612, 22630, 22800, 22802, 22804, 63030, 63042
Hip Reconstruction	27125, 27130, 27132, 27134, 27137, 27138
Trauma (Fractures)	27235, 27236, 27244, 27245, 27269, 27758, 27759, 27766, 27769, 27792, 27814
Knee Reconstruction	27440, 27441, 27442, 27443, 27445, 27446, 27447
Laryngectomy	31360, 31365, 31367, 31368, 31370, 31375, 31380, 31382, 31390, 31395, 31400, 31420
Vascular	27880, 27881, 27882, 27884, 27886, 27888, 33877, 33880, 33881, 33883, 33886, 33889, 33891, 34800, 34802, 34803, 34804, 34805, 34812, 34820, 34825, 34830, 34831, 34832, 34833, 34834, 34900, 35011, 35013, 35081, 35082, 35091, 35092, 35102, 35103, 35131, 35141, 35142, 35151, 35152, 35206, 35266, 35301, 35363, 35371, 35372, 35460, 35512, 35521, 35522, 35523, 35525, 35533, 35537, 35538, 35539, 35540, 35556, 35558, 35565, 35566, 35570, 35571, 35572, 35583, 35585, 35587, 35601, 35606, 35612, 35616, 35621, 35623, 35626, 35631, 35632, 35633, 35634, 35636, 35637, 35638, 35642, 35645, 35646, 35647, 35650, 35654, 35656, 35661, 35663, 35665, 35666, 35671, 36830, 37224, 37225, 37226, 37227, 37228, 37229, 37230, 37231, 37617
Glossectomy	41130, 41135, 41140, 41145, 41150, 41153, 41155
Esophagus	43020, 43030, 43045, 43100, 43101, 43107, 43108, 43112, 43113, 43116, 43117, 43118, 43121, 43122, 43123, 43124, 43130, 43135, 43279, 43280, 43281, 43282, 43300, 43305, 43310, 43312, 43313, 43314, 43320, 43325, 43327, 43328, 43330, 43331, 43332, 43333, 43334, 43335, 43336, 43337, 43340, 43341, 43350, 43351, 43352, 43360, 43361, 43400, 43401, 43405, 43410, 43415, 43420, 43425, 43496
Stomach	43500, 43501, 43502, 43510, 43520, 43605, 43610, 43611, 43620, 43621, 43622, 43631, 43632, 43633, 43634, 43640, 43641, 43644, 43645, 43651, 43652, 43653, 43800, 43810, 43820, 43825, 43830, 43832, 43840, 43843, 43845, 43846, 43847, 43848, 43850, 43855, 43860, 43865, 43870, 43880
Small Intestine	44005, 44010, 44020, 44021, 44050, 44055, 44100, 44120,

SURGICAL PROCEDURE	CPT CODE
	44125, 44126, 44127, 44130, 44132, 44133, 44135, 44136
Colon	44140, 44141, 44143, 44144, 44145, 44146, 44147, 44150, 44151, 44155, 44156, 44157, 44158, 44160, 44180, 44186, 44187, 44188, 44202, 44204, 44205, 44206, 44207, 44208, 44210, 44211, 44212, 44227, 44300, 44310, 44312, 44314, 44316, 44320, 44322, 44340, 44345, 44346, 44602, 44603, 44604, 44605, 44615, 44620, 44625, 44626, 44640, 44650, 44660, 44661, 44680, 44700
Rectum	45000, 45020, 45108, 45110, 45111, 45112, 45113, 45114, 45116, 45119, 45120, 45121, 45123, 45126, 45130, 45135, 45136, 45150, 45160, 45171, 45172, 45190, 45395, 45397, 45400, 45402, 45500, 45505, 45540, 45541, 45550, 45560, 45562, 45563, 45800, 45805, 45820, 45825
Biliary	47400, 47420, 47425, 47460, 47480, 47560, 47561, 47562, 47563, 47564, 47570, 47600, 47605, 47610, 47612, 47620, 47630, 47700, 47701, 47711, 47712, 47715, 47720, 47721, 47740, 47741, 47760, 47765, 47780, 47785, 47800, 47801, 47802, 47900
Pancreas	48000, 48001, 48020, 48100, 48102, 48105, 48120, 48140, 48145, 48146, 48148, 48150, 48152, 48153, 48154, 48155, 48500, 48510, 48511, 48520, 48540, 48545, 48547, 48548, 48554, 48556
Abdomen, Peritoneum, & Omentum	27080, 27158, 27202, 27280, 27282, 49000, 49002, 49010, 49020, 49021, 49040, 49041, 49060, 49203, 49204, 49205, 49215, 49220, 49250, 49320, 49321, 49322, 49323, 49505, 49507, 49568
Renal Transplant	50320, 50340, 50360, 50365, 50370, 50380
Gynecologic Surgery	57267, 58150, 58152, 58180, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290, 58291, 58292, 58293, 58294, 58951, 58953, 58954, 58956
Acoustic Neuroma	61520, 61526, 61530, 61591, 61595, 61596, 61598, 61606, 61616, 61618, 61619, 69720, 69955, 69960, 69970
Cochlear Implants	69930
Neurological Surgery	22524, 22554, 22558, 22600, 22612, 22630, 61154, 61312, 61313, 61315, 61510, 61512, 61518, 61548, 61697, 61700, 61750, 61751, 61867, 62223, 62230, 63015, 63020, 63030, 63042, 63045, 63047, 63056, 63075, 63081, 63267, 63276
Cardiothoracic (Pacemaker)	33203, 33206, 33207, 33208, 33212, 33213, 33214, 33215, 33216, 33217, 33218, 33220, 33222, 33223, 33224, 33225, 33226, 33233, 33234, 33235, 33236, 33237, 33238, 33240, 33241, 33243, 33244, 33249, 33254, 33255
General Thoracic Surgery	0236T, 21627, 21632, 21740, 21750, 21805, 21825, 31760, 31766, 31770, 31775, 31786, 31805, 32096, 32097, 32098, 32100, 32110, 32120, 32124, 32140, 32141, 32150, 32215, 32220, 32225, 32310, 32320, 32440, 32442, 32445, 32480, 32482, 32484, 32486, 32488, 32491, 32505, 32506, 32507, 32800, 32810, 32815, 32900, 32905, 32906, 32940, 33020, 33025, 33030, 33031, 33050, 33300, 33310, 33320, 34051, 35021, 35211, 35216, 35241, 35246, 35271, 35276, 35311,

SURGICAL PROCEDURE	CPT CODE
	35526, 37616, 38381, 38746, 39000, 39010, 39200, 39220, 39545, 39561, 64746
Foot & Ankle	27702, 27703, 27704, 28192, 28193, 28293, 28415, 28420, 28445, 28465, 28485, 28505, 28525, 28531, 28555, 28585, 28615, 28645, 28675, 28705, 28715, 28725, 28730, 28735, 28737
Spleen and Lymphatic	38100, 38101, 38115, 38120, 38571, 38572, 38700, 38720, 38724, 38740, 38745, 38747, 38760, 38765, 38770, 38780
Mediastinum and Diaphragm	39501, 39540, 39541, 39545, 39560, 39561
Bariatric	43770, 43771, 43772, 43773, 43774, 43775, 43843, 43845, 43846, 43847, 43848, 43886, 43887, 43888
Meckel's Diverticulum and Appendix	44800, 44820, 44850, 44900, 44950, 44955, 44960, 44970
Liver	47100, 47120, 47122, 47125, 47130, 47140, 47141, 47142, 47350, 47370, 47371, 47380, 47381
General Surgery	23470, 23472, 23616, 24363, 60200, 60210, 60212, 60220, 60225, 60240, 60252, 60254, 60260, 60270, 60271, 60280, 60281, 60500, 60502, 60505, 60520, 60521, 60522, 60540, 60545, 60600, 60605, 60650

NUMERATOR:

Non-cardiac surgical patients who have an order for discontinuation of prophylactic parenteral antibiotics within 24 hours of surgical end time

Numerator Instructions: There must be documentation of order (written order, verbal order, or standing order/protocol) specifying that prophylactic parenteral antibiotic is to be discontinued within 24 hours of surgical end time OR specifying a course of antibiotic administration limited to that 24-hour period (e.g., "to be given every 8 hours for three doses" or for "one time" IV dose orders) OR documentation that prophylactic parenteral antibiotic **was** discontinued within 24 hours of surgical end time.

NUMERATOR NOTE: *The correct combination of numerator code(s) must be reported on the claim form in order to properly report this measure. The "correct combination" of codes may require the submission of multiple numerator codes.*

Numerator Quality-Data Coding Options for Reporting Satisfactorily:

Documentation of Order for Discontinuation of Prophylactic Parenteral Antibiotics (written order, verbal order, or standing order/protocol) Within 24 Hours of Surgical End Time

(Two CPT II codes [4049F & 4046F] are required on the claim form to submit this numerator option)

CPT II 4049F: Documentation that order was given to discontinue prophylactic antibiotics within 24 hours of surgical end time, non-cardiac procedure

Note: *CPT Category II code **4049F** is provided for documentation that antibiotic discontinuation was **ordered** or that antibiotic discontinuation was **accomplished**. Report CPT Category II code **4049F** if antibiotics were discontinued within 24 hours.*

AND

CPT II 4046F: Documentation that prophylactic antibiotics were given within 4 hours prior to surgical incision or given intraoperatively

OR

Prophylactic Parenteral Antibiotics not Discontinued for Medical Reasons

(Two CPT II codes [4049F-1P & 4046F] are required on the claim form to submit this numerator option)

Append a modifier (1P) to CPT Category II code 4049F to report documented circumstances that appropriately exclude patients from the denominator.

4049F with 1P: Documentation of medical reason(s) for not discontinuing prophylactic antibiotics within 24 hours of surgical end time

AND

CPT II 4046F: Documentation that prophylactic antibiotics were given within 4 hours prior to surgical incision or given intraoperatively

OR

If patient is not eligible for this measure because patient did not receive prophylactic parenteral antibiotics within specified timeframe, report:

(One CPT II code [4042F] is required on the claim form to submit this numerator option)

CPT II 4042F: Documentation that prophylactic antibiotics were neither given within 4 hours prior to surgical incision nor given intraoperatively

OR

Prophylactic Parenteral Antibiotics not Discontinued, Reason not Otherwise Specified

(Two CPT II codes [4049F-8P & 4046F] are required on the claim form to submit this numerator option)

Append a reporting modifier (8P) to CPT Category II code 4049F to report circumstances when the action described in the numerator is not performed and the reason is not otherwise specified.

4049F with 8P: Order was not given to discontinue prophylactic antibiotics within 24 hours of surgical end time, non-cardiac procedure, reason not otherwise specified

AND

CPT II 4046F: Documentation that prophylactic antibiotics were given within 4 hours prior to surgical incision or given intraoperatively

RATIONALE:

There is no evidence there is added benefit of prolonged prophylactic parenteral antibiotic use. Prolonged use may increase antibiotic resistant organisms.

CLINICAL RECOMMENDATION STATEMENTS:

At a minimum, antimicrobial coverage must be provided from the time of incision to closure of the incision. For most procedures, the duration of antimicrobial prophylaxis should be 24 hours or less, with the exception of cardiothoracic procedures (up to 72 hours duration) and ophthalmic procedures (duration not clearly established). (ASHP)

Prophylactic antimicrobials should be discontinued within 24 hours after the operation. (SIPGWW)