

AAO21: Otitis Media with Effusion (OME): Hearing Test for Chronic OME ≥ 3 months

High Priority Status: No; N/A

NQF Number: N/A

Percentage of patients age 6 months to 12 years of age at the time of the visit with a diagnosis of otitis media with effusion (OME) including chronic serous, mucoid, or nonsuppurative OME of \geq 3 months duration who had audiometry performed, ordered, or who were referred for an audiometric evaluation.

Denominator:

All patients age 6 months through 12 years of age with a diagnosis of OME including chronic serous, mucoid, or nonsuppurative OME of \geq 3 months duration.

Denominator Exclusions:

None

Denominator Exceptions:

Patients who had a hearing test within 6 months of the original diagnosis of OME including chronic serous, mucoid, or nonsuppurative OME.

Numerator:

Patients who had a hearing test performed, ordered, or who were referred for an audiometric evaluation.

Numerator Exclusions:

None

Measure Classifications:

Measure Type: Process

National Quality Strategy (NQS) domain: Effective Clinical Care

Meaningful Measures Area: Preventive Care

Care Setting(s): Ambulatory Care: Clinician Office/Clinic

Includes Telehealth: Yes

Number of Performance Rates: 1 Inverse measure: No

Continuous measure: No Proportional measure: Yes

Ratio measure: No

Risk-adjusted measure: No

© 2022 American Academy of Otolaryngology-Head and Neck Surgery Foundation. All rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g. use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the measures for commercial gain, or incorporation of the measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the measures require a license agreement between the user and the American Academy of Otolaryngology – Head and Neck Surgery Foundation.

The measure is not a clinical guideline, does not establish a standard of medical care, and has not been tested for all potential applications. The measure and specifications are provided "as is" without warranty of any kind. Neither the American Academy of Otolaryngology – Head and Neck Surgery Foundation (AAO-HNSF), nor its members shall be responsible for any use of the measure. The AAO-HNSF and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specification.