

AAO20: Tympanostomy Tubes: Hearing Test

High Priority: No; N/A

Percentage of patients age 6 months through 12 years with a diagnosis of OME who received tympanostomy tube insertion and received a hearing test within 6 months prior to tympanostomy tube insertion.

Denominator:

All patients age 6 months through 12 years with a diagnosis of OME who received tympanostomy tube insertion.

Denominator Exclusions:

None

Denominator Exceptions:

Patient or caregiver(s) refusal of hearing test.

Numerator:

Patients who had a hearing test performed within 6 months prior to tympanostomy tube insertion.

Measure Classifications:

Measure Type: Process

National Quality Strategy (NQS) domain: Effective Clinical Care

Meaningful Measure Area: Appropriate Use of Healthcare

Calculation: 1st Performance Rate

Inverse measure: No

Continuous measure: No

Proportional measure: Yes

Ratio measure: No

Risk Adjusted measure: No

© 2020 PCPI® Foundation and American Academy of Otolaryngology–Head and Neck Surgery Foundation. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g. use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the American Academy of Otolaryngology–Head and Neck Surgery Foundation (AAO-HNSF).


Disclaimer: The Measures are not clinical guidelines, do not establish a standard of medical care, and have not been tested for all potential applications. THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. Neither the AAO-HNSF nor its members shall be responsible for any use of the Measures. The AAO-HNSF and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

AAO20


Tympanostomy Tubes: Hearing Test

INITIAL PATIENT POPULATION (IPP)

MEASURE DESCRIPTION
Percentage of patients age 6 months through 12 years for a diagnosis of OME who received tympanostomy tube insertion and received a hearing test within 6 months prior to tympanostomy tube insertion



DENOMINATOR



NUMERATOR

